

Installation Instructions & Use Recommendations

FMS Accessories – Side Stand Extension

These instructions must be read carefully and thoroughly **before** beginning work. FMS Solutions, LLC accepts no liability for damage caused by failure to observe the installation instructions or use recommendations.

Installation of this accessory does not change the factory specified load limits for the motorcycle.

The side stand extension is designed to provide access to the side stand from behind the rider's footrest, enabling officers to deploy the stand without taking their eyes off the violator. Additional benefits are that the stand provides greater surface area to resist sinking when parked on soft surfaces, adds no thickness to the bottom of the stand to reduce lean angle, while being tapered to the lean angle of the motorcycle for maximum cornering clearance.



Extend the side stand and slide the tapered extension over the stock side stand foot. Tap lightly to ensure it is seated. Using a 1/4" drill bit, drill through the side stand foot using the extension as a guide.



Deburr the hole from the bottom-side of the stand.



Insert the M6 self-clinching stud from the underside and spin the M6 serrated flange nut on the top. Tighten with a ratchet.

Drill through the second hole, deburr and insert the second self-clinching stud from the underside and spin the M6 serrated flange nut on the top. Tighten with a ratchet. Check both nuts for tightness.

You are done!



Feedback: Thank you for your purchase and we welcome your feedback as we too want to make every accessory exceed your expectations. Report any comments, suggestions, problems or concerns to FMS Solutions, LLC at info@fmsaccessories.com .

FMS Solutions, LLC Limited Warranty

FMS Solutions, LLC warrants to the first retail purchaser of new FMS Accessory products, to be free from defects in materials or workmanship, for a period of three (3) years from the original date of purchase as noted on the FMS Solutions, LLC invoice or original dealer invoice, except for paint and powder-coated finishes, which are warranted for the first 12 months only. LED lights from Fenix, Inc., Code 3, Inc. and Littlite are covered for 5 years by their manufacturer's respective warranties – processed through FMS Solutions, LLC.

This warranty extends only to the FMS accessory and does not include: damage caused by accidents or abuse; incorrect installation; labor to diagnose, remove, repair or replace; any consequential damage or loss of use. Any FMS Accessory suspected of being defective should be returned to FMS Solutions, LLC along with a copy of proof of purchase and warranty request form available on the FMS website. FMS Solutions, LLC will determine if the FMS accessory has a warrantable defect, and if so, will repair or replace the item and return it to the sender without charge. The decision to repair or replace said item is solely the prerogative of FMS Solutions, LLC.

Note: Police motors can operate in a very rough environment since police motors are a "tool". They can be dropped, knocked-over, etc. without concern as the officer has a job to do and determines what is necessary at any given moment. Warranty is for defects in materials or workmanship. Therefore, the ability of an item to become broken or damaged does not mean it is warranty ... it just means it is broken or damaged and in need of repair or replacement. No manufacturer warrants their products to be indestructible. Any questions should be directed to info@fmsaccessories.com .