

Installation Instructions & Use Recommendations

FMS Low Saddlebag Side Light Mounts

These instructions must be read carefully and thoroughly **before** beginning work. FMS Solutions, LLC accepts no liability for damage caused by failure to observe the installation instructions or use recommendations. **Installation of this accessory does not change the factory specified load limits for saddlebags or radio box.**



Remove saddlebag by removing the two upper T30 bolts securing the bag to the support.

Mount the Fenix Fusion light unit to the mount using the supplied M4 x 12 bolts and M4 Nylock nuts. Ensure that the two wires exiting the light are not pinched by the bracket.

Slip the ½” rubber jacketed stainless steel clamps over the lower saddlebag support. Insert the M5 x 20 washer head bolts (T25) through the bracket and down through the clamps. Attach the M5 washer head Nylock nuts.



Align the light assembly and tighten the M5 x 20 bolts until fully tightened. The assembly may creep up as the bolts are tightened – move the assembly lower / realign if needed.

Secure the cable with cable ties to the bracket and connect to the ELM module.



Reinstall the saddlebag and test lights to ensure function.



Feedback: Thank you for your purchase and we welcome your feedback as we too want to make every accessory exceed your expectations. Report any comments, suggestions, problems or concerns to FMS Solutions, LLC at info@fmsaccessories.com .

Thank you!

About FMS Accessories

FMS Solutions, LLC Limited Warranty

FMS Solutions, LLC warrants to the first retail purchaser of new FMS Accessory products, to be free from defects in materials or workmanship, for a period of three (3) years from the original date of purchase as noted on the FMS Solutions, LLC invoice or original dealer invoice, except for paint and powder-coated finishes, which are warranted for the first 12 months only. LED lights from Fenix, Inc., Code 3, Inc. and Littlite are covered for 5 years by their manufacturer's respective warranties – processed through FMS Solutions, LLC.

This warranty extends only to the FMS accessory and does not include: damage caused by accidents or abuse; incorrect installation; labor to diagnose, remove, repair or replace; any consequential damage or loss of use. Any FMS Accessory suspected of being defective should be returned to FMS Solutions, LLC along with a copy of proof of purchase and warranty request form available on the FMS website. FMS Solutions, LLC will determine if the FMS accessory has a warrantable defect, and if so, will repair or replace the item and return it to the sender without charge. The decision to repair or replace said item is solely the prerogative of FMS Solutions, LLC.

Note: Police motors can operate in a very rough environment since police motors are a "tool". They can be dropped, knocked-over, etc. without concern as the officer has a job to do and determines what is necessary at any given moment. Warranty is for defects in materials or workmanship. Therefore, the ability of an item to become broken or damaged does not mean it is warranty ... it just means it is broken or damaged and in need of repair or replacement. No manufacturer warrants their products to be indestructible. Any questions should be directed to info@fmsaccessories.com .